

## HIGHLIGHTS OF PRESCRIBING INFORMATION

These highlights do not include all the information needed to use Uri-Control Tablets safely and effectively. See full prescribing information for Uri-Control.

### Uri-Control Tablets, Oral Use Only

#### -----INDICATIONS AND USAGE-----

Uri-Control is a homeopathic drug indicated for the treatment of urinary tract infection, albuminuria, hematuria, incontinence. (1)

#### -----DOSAGE AND ADMINISTRATION-----

Allow tablets to dissolve completely in the mouth, do not swallow.

##### • Standard Dosage:

###### **Adults and children 12 years and older:**

3 tablets per day, taking 1 tablet every 4 to 6 hours.

###### **Children under 12 years:**

2 tablets per day, taking 1 tablet every 6 to 8 hours. (2.2).

##### • Acute Dosage:

###### **Adults and children 12 years and older:**

1 tablet every ½ to 1 hour until symptoms lessen, then continue with standard dosage. Do not exceed 12 tablets in 24 hours.

###### **Children under 12 years:**

1 tablet every ½ to 1 hour until symptoms lessen, then continue with standard dosage. Do not exceed 8 tablets in 24 hours. (2.3).

#### -----DOSAGE FORM AND STRENGTH-----

- 300 mg tablets each containing the active ingredients in the strengths listed under Description. (3)

#### -----CONTRAINDICATIONS-----

- Uri-Control is contraindicated in patients with known hypersensitivity to Uri-Control or any of its ingredients. (4)

#### -----WARNINGS AND PRECAUTIONS-----

- Keep out of reach of children. (5)

#### -----ADVERSE REACTIONS-----

- No adverse events with a causal relationship to Uri-Control have been reported. (6)

- **To report SUSPECTED ADVERSE REACTIONS, contact MediNatura at 1.844.MediNatura (1.844.633.4628) or info@MediNatura.com or FDA at 1-800-FDA-1088 or www.fda.gov/medwatch.**

#### -----DRUG INTERACTIONS-----

- None known (7)

#### -----USE IN SPECIFIC POPULATIONS-----

- No studies have been conducted with Uri-Control Tablets on pregnant or lactating women, children, or elderly. (8)

Revised 05/2014

---

## FULL PRESCRIBING INFORMATION: CONTENTS\*

<b>1</b>	<b>Indications and Usage</b>	<b>9</b>	<b>Overdosage</b>
<b>2</b>	<b>Dosage and Administration</b>	<b>10</b>	<b>Description</b>
2.1	General Considerations	10.1	Ingredients
2.2	Standard Dosage	10.2	Pharmaceutical Form
2.3	Acute Dosage	10.3	Route of Administration
<b>3</b>	<b>Dosage Form and Strength</b>	<b>11</b>	<b>Clinical Pharmacology</b>
<b>4</b>	<b>Contraindications</b>	11.1	Mechanism of Action
<b>5</b>	<b>Warnings and Precautions</b>	11.2	Pharmacodynamics
<b>6</b>	<b>Adverse Reactions</b>	<b>12</b>	<b>References</b>
6.1	Post-marketing Experience	<b>13</b>	<b>How Supplied / Storage and Handling</b>
<b>7</b>	<b>Drug Interactions</b>		
<b>8</b>	<b>Use in Specific Populations</b>		
8.1	Pregnancy		
8.2	Labor and Delivery		
8.3	Nursing Mothers		
8.4	Pediatric Use		
8.5	Geriatric Use		

\* Sections or subsections omitted from the full prescribing information are not listed.

